	Application No.	Applicant(s)	
:	Application No.	Applicant(s)	(RN)
	10/828,968	CHUDOBA, PAUL S.	
Notice of Allowability	Examiner	Art Unit	
	Rhonda S. Peace	2874	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address— All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. X This communication is responsive to Applicant's amendment filed 12/14/2005.			
2. The allowed claim(s) is/are 6 and 11-17.			
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☐ All b) ☐ Some* c) ☐ None of the:			
Certified copies of the priority documents have been received.			
2. Certified copies of the priority documents have been received in Application No			
3. Copies of the certified copies of the priority documents have been received in this national stage application from the			
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.			
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached			
1) hereto or 2) to Paper No./Mail Date			
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date			
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).			
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
·			
•			
•			
Attachment(s)			
1. Notice of References Cited (PTO-892)	5. Notice of Informal P	atent Application (PTO-1	52)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary		
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date	Paper No./Mail Da 8), 7. ☐ Examiner's Amendr	ment/Comment	
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. X Examiner's Stateme	ent of Reasons for Allowa	nce
o. Diological material	9. 🔲 Other		
•			
,			

Application/Control Number: 10/828,968

Art Unit: 2874

DETAILED ACTION

Response to Amendment

The examiner acknowledges the Applicant's amendment filed 12/14/2005, and the amendment has been officially made of record.

Response to Arguments

Applicant's arguments, see page 6, filed 12/14/2005, with respect to claims 1-9, 17, and 18 have been fully considered and are persuasive. The 35 U.S.C. §102(b) rejections of claims 1-9, 17, and 18, filed 6/30/2005, have been withdrawn.

Allowable Subject Matter

Claims 6, and 11-17 are allowed.

The following is an examiner's statement of reasons for allowance: The applicable prior art does not show, nor does it reasonably suggest a connector device having a cartridge containing a predetermined quantity of optical fluid, where the cartridge has an entrance and exit aperture and an inner chamber for housing the optical fluid, and further having a ferrule including an end cap having an opening formed on the end thereof, where the cartridge extends partially through the opening in the end cap, limitations discussed within the applicant's amended claim 6. In addition, the applicable prior art does not show, nor does it reasonably suggest a connector ferrule having an outer housing, an inner post having a first and second end, wherein the housing defines first and second annular chambers extending around the first and second ends and wherein the chambers contain two compression sleeves for retaining the first and second end of the inner post 60, as claimed by the applicant in claim 17.

Application/Control Number: 10/828,968

Art Unit: 2874

For these reasons, claims 6 and 17 are considered novel by the examiner, and thereby are patentable. As claims 11-16 are all dependents of claim 6, and also contain the patentable material of claim 6, claims 11-16 are also considered patentable material.

Conclusion

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Rhonda S. Peace whose telephone number is (571) 272-8580. The examiner can normally be reached on M-F (8-5).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rodney Bovernick can be reached on (571) 272- 2344. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Application/Control Number: 10/828,968

Art Unit: 2874

Page 4

Rhonda S. Peace

Examiner Art Unit 2874

Michelle Connelly-Cushwa PRIMARY EXAMINER 12/27/05